


US UNSEALED SERIES

For INLINE Type2

Terminal (UNIT : mm)


0.64 (S)



M (8230-5221)

Applicable wire size (mm ²)	0.13 AWG26
Cable overall diameter (mm)	1.3
Material	Brass
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.64

0.64 (M)



M (8230-5222)

Applicable wire size (mm ²)	0.22-0.35 AWG24-22
Cable overall diameter (mm)	1.5-1.7
Material	Brass
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.64

0.64 (L)



M (8230-5223)

Applicable wire size (mm ²)	0.5-0.8 AWG20-18
Cable overall diameter (mm)	1.9-2.2
Material	Brass
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.64


2.8 (SS)

Applicable wire size (mm ²)	0.35 AWG22
Cable overall diameter (mm)	1.7
Material	Brass
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8



2.8 (S)

Applicable wire size (mm ²)	0.5-1.0 AWG20-18
Cable overall diameter (mm)	1.9-2.2
Material	Brass
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8



M (8230-5303)



F (8240-0477)

Applicable wire size (mm ²)	0.35 AWG22
Cable overall diameter (mm)	1.7
Material	Heat-resistant copper alloy
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8

M (8230-5257)



F (8240-0423)

Applicable wire size (mm ²)	0.5-1.0 AWG20-18
Cable overall diameter (mm)	1.9-2.2
Material	Heat-resistant copper alloy
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8


2.8 (M)

Applicable wire size (mm ²)	1.5-2.5 AWG16-14
Cable overall diameter (mm)	2.4-2.7
Material	Brass
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8



M (8230-5258)

F (8240-0424)



Applicable wire size (mm ²)	1.5-2.5 AWG16-14
Cable overall diameter (mm)	2.4-2.7
Material	Heat-resistant copper alloy
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8


2.8 (L)

Applicable wire size (mm ²)	3.0 AWG12
Cable overall diameter (mm)	3.3
Material	Brass
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8



M (8230-5259)


F (8240-0425)



Applicable wire size (mm ²)	3.0 AWG12
Cable overall diameter (mm)	3.3
Material	Heat-resistant copper alloy
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8


2.8 (LL)

Applicable wire size (mm ²)	4.0-5.0 AWG10
Cable overall diameter (mm)	4.0
Material	Heat-resistant copper alloy
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8



M (8230-5260)

F (8240-0426)




Applicable wire size (mm ²)	4.0-5.0 AWG10
Cable overall diameter (mm)	4.0
Material	Heat-resistant copper alloy
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8

2.8 double crimping

F (8240-0427)


Applicable wire size (mm ²)	-
Cable overall diameter (mm)	-
Material	Heat-resistant copper alloy
Surface treatment	Sn plated
Applicable Tab Thickness (mm)	0.8



Housing (UNIT : mm) * For terminal selection, please contact our sales staff.


0.64 (17) 1.5 (2) 2.8 (2) 21way

Ref.Terminal part No.	[0.64] * [1.5] * [2.8] P11
Material	PBT
Color	Black



M (6098-7127) key-A


F (6098-7119) key-A



Ref.Terminal part No.	[0.64] * [1.5] * [2.8] P11
Material	PBT
Color	Black


0.64 (17) 1.5 (2) 2.8 (2) 21way

Ref.Terminal part No.	[0.64] * [1.5] * [2.8] P11
Material	PBT
Color	Gray



M (6098-7129) key-B


F (6098-7122) key-B



Ref.Terminal part No.	[0.64] * [1.5] * [2.8] P11
Material	PBT
Color	Gray


0.64 (44) 2.8 (12) 6.3 (3) 59way

M cover1 (6911-4747)




Material	PBT
Color	Black

M cover2 (6911-4852)




Material	PBT
Color	Black

M cover3 (6911-5315)




Material	PBT
Color	Black

Ref:Terminal part No.	[0.64] P11 [2.8] * [6.3] *
Material	PBT
Color	Black




M (6098-6044) key-A




Ref:Terminal part No.	[0.64] * [2.8] * [6.3] *
Material	PBT
Color	Black

F (6098-6047) key-A

Ref:Terminal part No.	[0.64] P11 [2.8] * [6.3] *
Material	PBT
Color	Natural




M (6098-6045) key-B



Ref:Terminal part No.	[0.64] * [2.8] * [6.3] *
Material	PBT
Color	Natural

F (6098-6134) key-B

F cover (6911-4748)



Material	PBT
Color	Black