


4 ϕ BULLET PLUG/RECEPTACLE


子彈型 公端子 母端子



MT



FT



FT1






Fig 圖	Part No. 產品編號	Treatment 表面處理	Material 材質	Dimension (mm) 尺寸				Thick. 厚度	Wire Range 適用線徑		Packing 包裝數量	Mate Part 配合端子
				W	E	L	D		AWG#	O.D.		
MT	1041BS-0	--	Brass	3.50	8.00	16.00	--	0.4	14-20	2.70~3.60	10,000	1141BS-0 1141BS-2 11412BS-0 11412BS-2
	1041BS-2	Tin-plated										
	1042BS-0	--		3.50	7.30	13.35	--					
	1042BS-2	Tin-plated										
FT	1141BS-0	--	Brass	3.50	8.00	16.00	--		14-20	2.70~3.60	10,000	1041BS-0 1041BS-2 1042BS-0 1042BS-2
	1141BS-2	Tin-plated										
FT1	11412BS-0	--		3.50	7.30	13.35	--					
	11412BS-2	Tin-plated										

FT2



FT3



FT4




Fig 圖	Part No. 產品編號	Treatment 表面處理	Material 材質	Dimension (mm) 尺寸				Thick. 厚度	Wire Range 適用線徑		Packing 包裝數量	Mate Part 配合端子
				W	E	L	D		AWG#	O.D.		
FT2	1241BS-0	--	Brass	11.10	7.90	19.60	3.50	0.3	14-20	2.70~3.60	10,000	1041BS-0 1041BS-2
	1241BS-2	Tin-plated										
FT3	1342BS-0	--		11.20	--	16.20	3.40		14-20	2.70~3.60	10,000	
	1342BS-2	Tin-plated										
FT4	1343BL-0	--		13.60	--	16.00	3.50		14-20	2.70~3.60	10,000	
	1343BL-2	Tin-plated										

5 ϕ BULLET PLUG/RECEPTACLE

子彈型 公端子 母端子




Fig 圖	Part No. 產品編號	Treatment 表面處理	Material 材質	Dimension (mm) 尺寸				Thick. 厚度	Wire Range 適用線徑		Packing 包裝數量	Mate Part 配合端子	
				W	E	L	D		AWG#	O.D.			
MT	1051BS-0	--	Brass	3.96	8.80	17.50	--	0.4	14-20	2.70~3.60	7,500	1151BS-0 1151BS-2	
	1051BS-2	Tin-plated											
FT	1151BS-0	--		4.05	6.50	17.50	--		14-20	2.70~3.60	7,500	1051BS-0 1051BS-2	
	1151BS-2	Tin-plated											
	1156PS-2	Tin-plated	Phos.B	4.10	6.50	17.50	--		14-20	2.70~3.60			
FT1	11512BS-0	--	Brass	3.88	6.50	17.50	--		14-20	2.70~3.60	7,500		
	11512BS-2	Tin-plated											
FT2	1251BS-0	--	Brass	11.00	9.00	21.00	3.80	0.3	14-20	2.70~3.60	3,500		
	1251BS-2	Tin-plated											

INSULATOR (SLEEVE) - Male Type

絕緣護套 - 公端子用



MS



MS1





Fig 圖	Part No. 產品編號		Dimension (mm) 尺寸			Material 材質	Applicable Part 使用端子	Packing 包裝數量	Mate Part 配合套管
	Transparent (透明)	Flameproof (防火)	E	L	D				
MS	P1051M30	P1051M30N	--	7.50	2.50	Liquid Plastic	1041BS 1042BS 1051BS	1,000	P1151S~ P1151M~ P1151L~
	P1051M32	P1051M32N	--	7.50	3.20				
	P1051M35	P1051M35N	--	7.50	3.50				
	P1051M40	P1051M40N	--	7.50	4.00				
MS1	P1051L40	P1051L40N	--	7.50	4.00				


INSULATOR (SLEEVE) Female Type

絕緣護套 - 母端子用

FS



FS1



FS2




Fig 圖	Part No. 產品編號		Dimension (mm) 尺寸			Material 材質	Applicable Part 使用端子	Packing 包裝數量	Mate Part 配合套管
	Transparent (透明)	Flameproof (防火)	E	L	D				
FS	P1151S25	P1151S25N	15.00	20.00	2.50	Liquid Plastic	1141BS 11412BS 1151BS 1156BS 1156PS 11512BS	1,000	P1051M~ P1051L~
	P1151S30	P1151S30N	15.00	20.00	3.00				
	P1151S35	P1151S35N	15.00	20.00	3.50				
	P1151S40	P1151S40N	15.00	20.00	4.00				
	P1151M25	P1151M25N	20.00	25.00	2.50				
	P1151M30	P1151M30N	20.00	25.00	3.00				
	P1151M35	P1151M35N	20.00	25.00	3.50				
	P1151M40	P1151M40N	20.00	25.00	4.00				
	P1151L25	P1151L25N	26.00	31.00	2.50				
	P1151L30	P1151L30N	26.00	31.00	3.00				
	P1151L35	P1151L35N	26.00	31.00	3.50				
	P1151L40	P1151L40N	26.00	31.00	4.00				
FS1	P1251S32	P1251S32N	20.00	27.00	3.20	Liquid Plastic	1241BS	1,000	--
	P1251M32	P1251M32N	22.00	27.00	3.20				
	P1251L32	P1251L32N	28.00	35.00	3.20				
FS2	P1351M30	P1351M30N	--	33.00	3.00	Liquid Plastic	1342BS 1343BL	1,000	--

Automotive

Ring Tongue Type Series



Ring Terminal

圓盤端子
FT




Fig 圖	Part No. 產品編號	Treatment 表面處理	Material 材質	Dimension (mm) 尺寸				Thick. 厚度	Wire Range 適用線徑		Packing 包裝數量	Mate Part 配合端子
				W	E	L	D		AWG#	O.D.		
FT	1425BS-0	--	Brass	4.70	5.00	9.30	2.60	0.30	18-24	1.20~1.70	20,00	--
	1425BS-2	Tin-plated										
	1426BS-0	--	Brass	4.60	5.00	9.30	2.25	0.30	18-24	1.20~1.70	20,000	--
	1426BS-2	Tin-plated										
	14301BS-0	--	Brass	6.60	7.20	12.70	3.20	0.40	16-20	2.70~3.20	10,000	--
	14301BS-2	Tin-plated										
	1431BS-0	--	Brass	7.00	8.60	16.00	3.30	0.50	16-20	2.40~2.90	7,500	--
	1431BS-2	Tin-plated										
	14311BS-0	--	Brass	7.00	8.60	16.00	3.60	0.50	16-20	2.40~2.90	7,500	--
	14311BS-2	Tin-plated										
	14314BS-0	--	Brass	5.00	5.80	10.80	3.20	0.40	14-20	2.40~3.20	15,00	--
	14314BS-2	Tin-plated										
	14315BS-0	--	Brass	5.00	5.80	10.80	2.50	0.40	14-20	2.40~3.20	15,000	--
	14315BS-2	Tin-plated										
	14316BS-0	--	Brass	5.00	5.80	10.80	3.60	0.40	14-20	2.40~3.20	15,000	--
	14316BS-2	Tin-plated										
	14317BS-0	--	Brass	7.00	8.60	16.00	3.30	0.40	16-20	2.70~3.20	7,500	--
	14317BS-2	Tin-plated										
	1433BS-0	--	Brass	8.50	11.10	19.00	3.30	0.50	14-22	2.45~3.40	5,000	--
	1433BS-2	Tin-plated										
	1439BS-0	--	Brass	5.00	6.00	10.80	3.20	0.40	22-28	1.20~1.70	20,00	--
	1439BS-2	Tin-plated										
	14401BS-0	--	Brass	7.20	9.30	15.80	4.20	0.50	18-22	2.45~2.90	7,500	--
	14401BS-2	Tin-plated										
	14402BS-0	--	Brass	7.50	9.10	16.40	4.40	0.50	18-22	2.45~2.90	7,500	--
	14402BS-2	Tin-plated										
	1441BS-0	--	Brass	8.60	11.20	18.90	4.30	0.50	14-22	2.45~3.40	5,000	--
	1441BS-2	Tin-plated										
	1445BS-0	--	Brass	7.00	8.60	16.00	4.30	0.50	16-22	2.40~2.90	7,500	--
	1445BS-2	Tin-plated										

Automotive


Ring Tongue Type Series




Ring Terminal

圓盤端子


FT



FT1



FT2



FT3




Fig 圖	Part No. 產品編號	Treatment 表面處理	Material 材質	Dimension (mm) 尺寸				Thick. 厚度	Wire Range 適用線徑		Packing 包裝數量	Mate Part 配合端子
				W	E	L	D		AWG#	O.D.		
FT	1447BS-0	--	Brass	8.50	11.10	19.00	4.40	0.40	14-22	2.45~3.60	5,00	--
	1447BS-2	Tin-plated										
	1455BS-0	--	Brass	10.00	13.00	20.80	5.40	0.60	14-20	2.70~3.30	5,000	--
	1455BS-2	Tin-plated										
	1456BS-0	--	Brass	8.50	11.10	19.00	5.40	0.50	14-21	2.45~3.40	5,000	--
	1456BS-2	Tin-plated										
	1458BS-0	--	Brass	8.60	11.20	19.00	5.40	0.40	14-24	2.45~3.40	5,000	--
	1458BS-2	Tin-plated										
	1459BS-0	--	Brass	12.00	15.70	26.70	6.70	0.80	16-20	2.70~3.20	3,000	--
	1459BS-2	Tin-plated										
	1462BS-0	--	Brass	12.00	14.80	22.40	6.40	0.60	16-20	2.70~3.40	3,500	--
	1462BS-2	Tin-plated										
	1485BS-0	--	Brass	12.00	14.80	22.40	8.40	0.40	16-20	2.70~3.30	3,500	--
	1485BS-2	Tin-plated										
FT1	1410BS-2	Tin-plated	Brass	1.60	--	2.25	0.95	0.25	22-28	1.60~2.40	20,000	--
	1430BS-0	--	Brass	6.00	6.30	10.00	3.30	0.30	16-22	--	20,000	--
	1430BS-2	Tin-plated										
	14310BS-0	--	Brass	6.00	6.20	10.00	3.60	0.30	16-22	--	20,000	--
	14310BS-2	Tin-plated										
	14312BS-0	--	Brass	6.00	6.30	10.00	2.60	0.30	16-22	--	20,00	--
	14312BS-2	Tin-plated										
	1446BS-0	--	Brass	7.00	8.40	12.50	4.30	0.50	16-22	--	10,000	--
	1446BS-2	Tin-plated										
FT2	14450BS-0	--	Brass	7.00	8.60	16.00	--	0.50	16-22	1.70~2.20	7,500	--
	14450BS-2	Tin-plated										
FT3	14601BS-0	--	Brass	9.40	11.70	19.60	4.50	0.60	18-22	2.45~2.90	5,000	--
	14601BS-2	Tin-plated										
	14602BS-0	--	Brass	9.40	11.70	19.60	3.40	0.60	18-22	2.45~2.90	5,000	--
	14602BS-2	Tin-plated										

RING

Spade Terminal

Y形端子

FT





Fig 圖	Part No. 產品編號	Treatment 表面處理	Material 材質	Dimension (mm) 尺寸				Thick. 厚度	Wire Range 適用線徑		Packing 包裝數量	Mate Part 配合端子
				W	E	L	D		AWG#	O.D.		
FT	1532BS-0	--	Brass	8.00	5.50	17.00	3.20	0.50	16-22	2.45~3.20	7,500	--
	1532BS-2	Tin-plated										
	1535BS-0	--	Brass	7.50	6.60	17.30	3.70	0.50	16-22	2.45~3.20	7,500	--
	1535BS-2	Tin-plated										
	1543BS-0	--	Brass	7.50	6.50	17.40	4.30	0.50	16-20	2.70~3.20	7,500	--
	1543BS-2	Tin-plated										
	15431BS-0	--	Brass	7.50	6.50	17.40	4.30	0.50	14-18	2.45~3.60	7,500	--
	15431BS-2	Tin-plated										
	1544BS-0	--	Brass	7.50	6.50	19.10	4.30	0.50	16-22	2.45~3.20	7,500	--
	1544BS-2	Tin-plated										

Receptacle Contact


母端子



FT



FT1



FT2





Fig 圖	Part No. 產品編號	Treatment 表面處理	Material 材質	Dimension (mm) 尺寸				Thick. 厚度	Wire Range 適用線徑		Packing 包裝數量	Mate Part 配合端子
				W	E	L	D		AWG#	O.D.		
FT	1113PS-2	Tin-plated	Phos.B	2.00	5.80	11.80	--	0.3	18-26	1.35~2.10	15,000	--
FT1	11271BS-0	--	Brass	3.20	9.70	16.25	--	0.3	14-20	2.70~3.00	5,000	2.4mm Round Pin
	11271BS-2	Tin-plated										
FT2	11278PS-2	Tin-plated	Phos.B	2.10	5.30	13.20	--	0.25	18-22	1.70~2.10	5,000	1.0mm Round Pin

FT3



FT4




Fig 圖	Part No. 產品編號	Treatment 表面處理	Material 材質	Dimension (mm) 尺寸				Thick. 厚度	Wire Range 適用線徑		Packing 包裝數量	Mate Part 配合端子
				W	E	L	D		AWG#	O.D.		
FT3	11213BS-2	--	Brass	2.35	13.00	19.50	--	0.4	12-16	--	7,500	2.35mm Round Pin
FT4	11276BS-2	Tin-plated	Brass	2.70	11.00	7.80	--	0.3	18-20	1.90~2.40	5,000	2.0mm Round Pin